•	1	Recei	ving Rep	ort		
	ate:	ich	Batci Dart	n No: <u>M</u>	1305 0764	
Packing Slip: Invoice: Receipt: Discrepancies	Yes No Yes No Cash Cr	y s Q	elease Note A /aybill Attache hipment Com C6 Inspection /ork Order	ed: Ye plete: Ye	1	<u> </u>
Part Number	Description	Quantity Ordered	Quantity Received	Quantity Returned	Quantity Short	Comments
					`	
		Initials	of receiver	(if shipment	OK) Level	
Production/Ad Date Received/Cos Initial	<u> </u>				Location	nc

H:\FORMS\Purchasing\approved purch\RECREPORT Rev D



Diversified Ulbrich 26A Hymus Blvd

PTE. Claire, QC H9R 1C9, Phone: (514)694-6522 Fax: (514)694-0266

Toll Free: (800)361-5950

INVOICE

I005666 Pg 1 of 1


SOLD TO:

DART AEROSPACE LTD 1270, ABERDEEN STREET

HAWKESBURY, ON

K6A 1K7

00022279



SHIP TO:

DART AEROSPACE LTD 1270, ABERDEEN STREET HAWKESBURY, ON K6A 1K7

MTR:Y

_	INVOICE DATE:	11/17/09
	ORDER DATE:	11/16/09
_	SHIP DATE:	11/17/09
	ORDER NUMBER:	W203746
	PURCHASE ORDER:	PO10764

CANADIAN DOLLARS BOB MESSETT COMMON CARRIER COLLECT NET 30 DAYS In Back Ordered Ordered Unit Description Shipped Price Per Value	Currency	Sales Person	Ship Via	F.O.B.	Te	erms
10 SH SSH T-304 EXP 16F x 3/4" x 48" 10 UN 142.40 1,424.0 L002782 10 SH/180 LB DIAMONDS MUST RUN ALONG 8' LENGTH			COMMON CARRIER	COLLECT	NET 30 DA	AYS
L002782 10 SH/180 LB DIAMONDS MUST RUN ALONG 8' LENGTH	n Back Ordered	Ordered Unit	Description	Shipped	Price Per	Value
	n Back Ordered	10 SH SSH T-304 EXP L002782 DIAMONDS MUST	16F x 3/4" x 48" 10 SH/180 LB RUN ALONG 8' LENGTH			Value 1,424.00

Phone: (613) 632-5200 Fax:

(613) 632-4443

11/17/09 14:44:39

180 LB Total Weight:

PST Exmp No:6122-5207

1,424.00 Merchandise: Surcharges: No Tax Costs: 71.20 GST PST 1,495.20 Total Due:

Title to the goods sent out on this invoice remains with Diversified Ulbrich until such time as this invoice has been paid in full. Unless otherwise noted terms are 30 days. Interest accrues on all overdue accounts at the rate of 1.5% per month compounded monthly.

G.S.T. # 88911 2199 RT P.S.T. # 4901 9562

Purchase Order Receipt Listing

November 18, 2009 2:34:56 PM

and the second s

All amounts are calculated in domestic currency.

All Vendors PO ID PO10764 Receipt Dates from 11/18/2009 to 11/18/2009 All Line Item Types

All Item ID/GL/WOs All Rec. Employees All Currencies

Grouped by Vendor ID

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date Required Qty		Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Ven	idor Nam	e VC-I	DIV001 D	iversified Ulbrich							
PO10764	1		M304EX0.75-	16F sf	11/19/2009	11/18/2009	320.0000	\$4.45	0.0000	0	\$1,424.19
CAD	No		Expanded Meta SS 113205	al Flat sf	320.0000	Stores		\$1,424.19	0.0000	0	
									Total Received C	Quantity:	320.0000
								Total	Qty to Inspect (P	O U/M):	0.0000
									Total Reject (Quantity:	0.0000
									Total Receip	ot Value:	\$1,424.19
								To	tal Balance Due Ç	Quantity:	0.0000



<u>Diversified Ulbrich</u> 26A Hymus Blvd PTE. Claire, QC H9R 1C9,

Phone: (514)694-6522 Fax: (514)694-0266 Toll Free: (800)361-5950

SHIP TO:

Page: 1

SPECIAL INSTRUCTIONS

PACKING LIST

I005653

Date Shipped

SOLD TO: 00022279

DART AEROSPACE LTD 1270, ABERDEEN STREET

HAWKESBURY, ON

K6A 1K7

Sales Order

Contact: SUE BEDFORD (PA

Terms

DART AEROSPACE LTD 1270, ABERDEEN STREET

HAWKESBURY, ON

K6A 1K7

Ship Terms: COLLECT

ALWAY'S EPIC EXPRES TRANSPORT

Date Required

MTR:Y

Date Ordered

Currency	Sales Person	Customer Phone	Customer Fax	Customer PO
CANADIAN DOLLARS	BOB MESSETT	(613) 632-5200	(613) 632-4443 (P010764

Ship Via

COMMON CARRIER 11/16/09 11/17/09 11/16/09 W203746 NET 30 DAYS Bundle # Heat # Shipped Description Ordered Back Ordered Unit SSH T-304 EXP 16F x 3/4" x 48" 10 SH M17194D L002782 180 LB / 10 SH / 10 PC DIAMONDS MUST RUN ALONG 8' LENGTH 1 ENV. CERT. D'ANALYSE, 1 PALETTE /69/11/18 11/16/09 14:50:26 Total Weight: 180.0 LB Bundles:

Received by:	Date:	Signature:	
--------------	-------	------------	--



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO10764

Purchase Order Date 11/16/09 PO Print Date 11/16/09

Page Number 1 of 1

Order From:

DIVERSIFIED ULBRICH 26A BLVD. HYMUS

POINTE-CLAIRE, QC H9R 1C9

CA

VC-DIV001

Contact Name

Vendor Phone

800 361 5950

Vendor Fax

514 694 0266

Vendor Account Nbr

Buyer Requisition Nbr Chantal Lavoie

Tax Resale Nbr

10127-2607

Terms Currency

Net 30 CAD

FOB

Ship To:

DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Line Ni	or Reference Revision ID Vendor Part Number	Description/ Mfg ID	Req Date/ Taxable	Req Qty/ Unit of Measure	Ship Method	Unit Price	Extended Price
1	M304EX0.75-16F	Expanded Metal Flat SS	11/19/09 Yes	320.00 sf	Epic ppd	\$4.4506	\$1,42*

Special Inst:

MATERIAL: AISI 304/316 STAINLESS

STEEL EXPANDED METAL DIAMOND MUST RUN ALONG 8'

LENGTH

PO Total:

\$1,424,19



CY

No substitution or deviation without consent.

Certificate of Conformity or Material Certification required when applicable

Change Nbr:

Change Date: 11/16/09

Outo



INSPECTION CERTIFICATE 3.1 SECTION 10204 3.1

Conflicto No. 201916 Mr. Seits Seits

INSPECTION SFS-EN 10:	CERTIFICATE 3.1
Deputy softwar, Emplinger, Use on Presion EXCELSION STEEL POLISHING LTD.	ULBRICE OF CANADA INC
34 CARSON ST. ETOBICOKE, ONTARIO CANADA MSW 1T2 CANADA	98 NORFINCE DRIVE DOWNSVIEW M3N 1XI TORONTO, ONTARIO CANADA
ASTM A240/A240M -08 ASME 2007 SEC. II PART A SA-240	Our Order No. Unear Autrag No. Note commande or 1,8952 54624 MADE IN FINLAND
ASTM A240/A240M -08 ASME 2007 SEC. II PART A SA-240	
Product, Examplifiant, Produit COIL STAINLESS STEEL	Mark of Manufischmer Zeichen des Lieferwähles MINGE Signin de production AOD Intépactor's stemp Zeichen d. Sectiventi. Signin de production
Grade, Weststoff, Nijenoe	Tolerances Tolerances, Tolerances
AND MORE SOUTH AND MARKET SOUTH SOUT	Merks, Versendzeichen, Marques
A/SA-240 304L 2B	
Lins Hain Position Charge-sect No. Schmede-Protes Nr. Stee, Abresousingen, Dimensions Ligate Position	Guardhy 312rdreigh Narhbrer Weight, Gewicht, Poles Finish Rei
1 -1 77002 3 16 GA X 48* 2 1 77246 6 16 GA X 48* 3 3 77256 1 18 GA X 48* 4 4 77246 3 20 GA X 48* 5 5 77254 2 22 GA X 48*	10825 LBS 2B 13492 LBS 2B 22421 LBS 2B 21032 LBS 2B 22289 LBS 2B
	Injurya Cr Ni
77002 0,020 0,40 1,59 0,031 0,001 18,77246 0,023 0,38 1,61 0,029 0,001 18,77256 0,019 0,41 1,65 0,033 0,001 18,77254 0,028 0,41 1,63 0,034 0,002 18,	1 8,2 0,038 4 8,2 0,048 4 8,2 0,041 3 8,1 0,051
Line Mechanical properties, Manhanische Eigenschaften. Catacianteliques mecanis	.51
Like William William % %	Herdness HRB TENSILE TEST IN ACC TO EN 10002-1 AT ROOM TEMP. IN DELIVERY CONDITION
1 E 272 313 614 64 59 2 E 262 298 594 68 61	RPO.2 PROOF STRENGTH RP1.0 PROOF STRENGTH
3 E 303 342 638 65 53	RM TEMSILE STRENGTH 83 A50 ELONGATION GL 50 MM
4 E 276 312 627 66 57 5 E 271 308 639 70 61	82 SAMPLES PERPENDICULAR TO THE ROLLING DIRECTION
	80
processy syst. Verwedelbungsprofung, Correcte d'éderathousers Seriale, Abrumangers, Othernations Seriale, Obserfaire, Surface Fort of laboragem, compts, Profung auf Interlete, Momou, Test de corma, Intercries, ASTE A262 - 02AE3 PRACTICE R 1 OK	A = Beginning / Antong / Début E = End / Ends / Rix
FULFILS ALSO REQUIREMENTS: ASTM A480/ ASTM A666, AME 5511 H ASME SA-480/SA-480M FREE OF CUBAN MICKEL C< .25%, S< .05%, P< .05%, RM< 800 N/ BEND TEST OK	We cartify that the above incommend products comply with the terms of the distance conjugs. Who beautifying, dates die Leienung dem Vereinbeautgem der Bestellstrativene experient. NOM 2. This test cartificate dues his produite drumstanch-dessual soms conforme, saue prescriptions die le conformation. This test cartificate is made by controlled ADP-system and is valid without splanture. Dieses Zingdie wante von eterm (besprüften Datenver- antivitangenymen erreits and is direct Datenver- antivitation of out utilige soms eigenstance.
	Outokumpu Stainiess Oy
	Suma Sulman
·	Authorized integrated SUBANNA SIURONEN Inspection authorized in the Control of th
· · · · · · · · · · · · · · · · · · ·	PIN-65400 Tentilo, Pinterrol '761. +385 10400, Pinter 4361 16 452 350, over-control per participation of the state of the





Material Compliance

Date: 09/10/0

Company: Div everfeed Tooling

Order Number: 200109

This certifies that all metals, expanded metals and grating meet all requirements of Military specifications MIL-M-17194D (metal, expanded, steel) and MIL-G-18015 (ships) and the deflection requirements of Federal Specifications RR-661B.

AMICO Canada Inc. plank gratings and ladder rungs are manufactured from ASTM-A-526 pregalvanized steel and 5052-H32 aluminum.

AMICO Canada Inc. welded bar gratings manufactured in the United States, to conform to the O.S.H.A. standards, sub part D, walking, working surfaces, in Federal Register, Vo.38, No. 172, part ii. AMICO grating also meets the standards of Federal Specification RR-G-661C, and Military Specification MIL-G-18014B.

AMICO Canada Inc.

62 rue Kelly, St-Jean-sur-Richelieu, Québec, Tel. 800.463.3255, Fax 450.347.0541, amico-online.com Entrepôt-420 9ième ave., !berville, Québec

•				
4				32 V2 85 F
				~ 128°
,	89!56+	0	225.59	32 (
M304S12GA	88	0	3969	3000
AN960JD10LL	86	0	195	50
AN526C832R10	84	0	0	0
— D2732-030RevB1	84	0	157	100
	82	-11	216	50
AN3-6A	80.77083684	0	108.9	60 100 Bt
M303R0.750 1	80.77063064	0	100	50
CR1122-3-02.5	80	0	315	0
	80	Ö	805	0
— D3015-5RevB	80	0	131	10
- MS20601-AD4₩4	78.78465263	0	202.4422316	64
— M2024T3S.032	76.52921053	Ö	40.804	4
D3800-1-100Rev B	76.52921035 76	Ö	904	200
—AN3C6A	74 1 74	-25	129	50 ≾ 0
AN3C46A	72.23157895	0	57.6	4
— M174PH-H900R1 375	72.231576 9 5 72	Ö	142	0
AN4-41A	72 72	Ö	217	100
AN960C516L	72 72	0	0	0
— D3394-3PRevA	71.04	Ō	0	0
D2622-120CPRevC1	71.04	0	370	50
AN3C12A	69	0	293	200
AN526C832R9	68	ő	421	50
AN3-35A	66.73652632	Ö	167.57	60
M4130NT0.750W.049	66	0	686	100
- A3235-020-935	65	Ö	263	200
— AN960C10	64	-2	192	100
AN3C41A	64	0	606	400
AN4-11A/	64	-20	297	50
D2747RevB	64	0	167	40
D3672-11RevB	64	Ō	0	0
D6101-005PRevA	. 64	0	90	0 100
NAS1149D0832J	62	0	36	0
D3012-1RevA	· 61	0	98	0 100
NAS1149D0563J	60	-24	1584	500
AN4-17A	60	0	184	10
-AN526C1032R7	60	0	174	50
AN5-7A	58	0	2145	2000
∠AN3-4A`	57.6	0	0	0
D2024RevU/R M6061T6T1.000W.188	57.49086088	0	79.60646	40 600 6t
	57.15600035	. 0	89.9823	96 69SF
M6061T6S.125 — M304TR0.500W.035	56.5786577	0	226.0708682	60
	56.26278016	0	176.7895065	120 320SF
M304EX0.75-16F CCR264SS3-3	56	0	141	20
CCR264SS3-3 MS27039C4-08	56	0	117	6
***	54	0	184	50
_AN3C36A MS21250-03004	54	0	80	10
****	54	0		0
MS21920-20	53.67921053	0		4
D 3800-3-100Rev B M6061T6R0.625	53.17064737	0	108.3857	40
MOOD 1-1 OPO-DED	44. • • • • • • •			